

GSH Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards
made of expanded Polystyrene**

**NEOPLAK EPS 100 THP
)NEOCOAT PLUS EPS 100 THP
NEOPLAK EPS 200 THP**

with the designation code
described in Annex 1 (following page)

from the manufacturer

**RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE**

based on the Product Type Determination (former ITT) and the continuous surveillance and evaluation of the Factory Production Control, comply with the requirements of

EN 13163:2012+A1:2015.

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.12.2017**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

13.12.2016 / 15 12 059-R3.e


Manager of the Certification Body
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu

GSH Güteschutzgemeinschaft Hartschaum e.V.

Annex 1 of Attestation nr. 15 12 059-R3.e

Product description

NEOPLAK EPS 100 THP (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100 – TR100
Reaction to fire: Euroclass E, $\rho_{ip} \leq 0,5 \text{ kg/m}^3$, $f_{tk} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$
Declared Value of Thermal Conductivity $0,030 \text{ W/(m}\cdot\text{K)}$
(This specification covers the requirements for an EPS product applied in an ETICS, according to ETAG 004 and EN 13499)

NEOCOAT PLUS EPS 100 THP (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100 – TR100
Reaction to fire: Euroclass E, $\rho_{ip} \leq 0,5 \text{ kg/m}^3$, $f_{tk} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$
Declared Value of Thermal Conductivity $0,030 \text{ W/(m}\cdot\text{K)}$
(This specification covers the requirements for an EPS product applied in an ETICS, according to ETAG 004 and EN 13499)

NEOPLAK EPS 200 THP (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200 – TR100
Reaction to fire: Euroclass E, $\rho_{ip} \leq 0,5 \text{ kg/m}^3$, $f_{tk} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$
Declared Value of Thermal Conductivity $0,030 \text{ W/(m}\cdot\text{K)}$
(This specification covers the requirements for an EPS product applied in an ETICS, according to ETAG 004 and EN 13499)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.12.2017**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

13.12.2016 / 15 12 059-R3.e


Manager of the Certification Body
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu