

**GSH**  
**Güteschutzgemeinschaft**  
**Hartschaum e.V.**

# ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards  
made of expanded Polystyrene**

**NEOPLAK EPS 100 THP  
)NEOCOAT PLUS EPS 100 THP  
NEOPLAK EPS 200 THP**

with the designation code  
*described in Annex 1 (following page)*

from the manufacturer

**RIZAKOS S. A.**  
**Lamia Industrial Estate**  
**GR-35100 Lamia**  
**GREECE**

based on the Product Type Determination (former ITT) and the continuous surveillance and evaluation of the Factory Production Control, comply with the requirements of

**EN 13163:2012+A1:2015.**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.12.2017**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

13.12.2016 / 15 12 059-R3.e

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 12 059-R3.e

### Product description

#### NEOPLAK EPS 100 THP (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100 – TR100  
Reaction to fire: Euroclass E,  $\rho_{ip} \leq 0,5 \text{ kg/m}^3$ ,  $f_{tk} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$   
Declared Value of Thermal Conductivity  $0,030 \text{ W/(m}\cdot\text{K)}$   
(This specification covers the requirements for an EPS product applied in an ETICS, according to  
ETAG 004 and EN 13499)

#### NEOCOAT PLUS EPS 100 THP (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100 – TR100  
Reaction to fire: Euroclass E,  $\rho_{ip} \leq 0,5 \text{ kg/m}^3$ ,  $f_{tk} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$   
Declared Value of Thermal Conductivity  $0,030 \text{ W/(m}\cdot\text{K)}$   
(This specification covers the requirements for an EPS product applied in an ETICS, according to  
ETAG 004 and EN 13499)

#### NEOPLAK EPS 200 THP (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200 – TR100  
Reaction to fire: Euroclass E,  $\rho_{ip} \leq 0,5 \text{ kg/m}^3$ ,  $f_{tk} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$   
Declared Value of Thermal Conductivity  $0,030 \text{ W/(m}\cdot\text{K)}$   
(This specification covers the requirements for an EPS product applied in an ETICS, according to  
ETAG 004 and EN 13499)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.12.2017**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

13.12.2016 / 15 12 059-R3.e

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu