



**GSH**  
**Güteschutzgemeinschaft**  
**Hartschaum e.V.**

# ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards**  
**made of expanded Polystyrene**  
**Neoplak EPS 100**  
**Neocoat EPS 100 Plus**  
**Neoplak EPS 150**  
**Neoplak EPS 200**

with the designation code  
*described in Annex 1 (following page)*

from the manufacturer

**RIZAKOS S. A.**  
**Lamia Industrial Estate**  
**GR-35100 Lamia**  
**GREECE**

Based on ITT (Initial Type Test), comply with the requirements of

**EN 13163:2012+A1:2015**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.07.2018**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

10.08.2017 / 15 12 056.e-R1



Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 12 056.e

Product description

### Neoplak EPS 100 (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100  
Reaction to fire: Euroclass E  
Declared Value of Thermal Conductivity 0,030 W/(m·K)

### Neocoat EPS 100 Plus (HBCD-free)

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100  
Reaction to fire: Euroclass E  
Declared Value of Thermal Conductivity 0,030 W/(m·K)

### Neoplak EPS 150 (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS200 – CS(10)150  
Reaction to fire: Euroclass E  
Declared Value of Thermal Conductivity 0,030 W/(m·K)

### Neoplak EPS 200 (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200  
Reaction to fire: Euroclass E  
Declared Value of Thermal Conductivity 0,030 W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.07.2018**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

10.08.2017 / 15 12 056.e-R1

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu