

**GSH**  
**Güteschutzgemeinschaft**  
**Hartschaum e.V.**

# ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards**  
**made of expanded Polystyrene**  
**NEOCOAT PLUS EPS 100 THP**  
**NEOCOAT EPS 150 THP**  
**NEOCOAT EPS 200 THP**  
**NEOCOAT EPS 60 THP**

with the designation code  
*described in Annex 1 (following page)*

from the manufacturer

**RIZAKOS S. A.**  
**Lamia Industrial Estate**  
**GR-35100 Lamia**  
**GREECE**

based on the Product Type Determination (former ITT) and the continuous surveillance and evaluation of the Factory Production Control, comply with the requirements of

**EN 13163:2012+A1:2015.**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.01.2019**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

24.01.2018 / 15 11 058-R3.e



Manager of the Certification Body  
Cortth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 11 058-R3.e

### Product description

#### NEOCOAT PLUS EPS 100 THP (HBCD free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100 – TR100

Reaction to fire: Euroclass E,  $W_{ip} \leq 0,5 \text{ kg/m}^2$  -  $f_{ik} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$

Declared Value of Thermal Conductivity  $0,030 \text{ W/(m}\cdot\text{K)}$

(This specification covers the requirements for an EPS product applied in an ETICS,  
according to ETAG 004 and EN 13499)

#### NEOCOAT EPS 150 THP (HBCD free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS200 – CS(10)150 – TR150

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity  $0,030 \text{ W/(m}\cdot\text{K)}$

$W_{ip} \leq 0,5 \text{ kg/m}^2$ ,  $f_{ik} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,  
according to ETAG 004 and EN 13499)

#### NEOCOAT EPS 200 THP (HBCD free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200 – TR150

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity  $0,030 \text{ W/(m}\cdot\text{K)}$

$W_{ip} \leq 0,5 \text{ kg/m}^2$ ,  $f_{ik} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,  
according to ETAG 004 and EN 13499)

#### NEOCOAT EPS 60 THP (HBCD free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS100 – CS(10)60 – TR150

Reaction to fire: Euroclass E


Declared value of thermal conductivity:  $0,032 \text{ W/(m}\cdot\text{K)}$

$W_{ip} \leq 0,5 \text{ kg/m}^2$ ,  $f_{ik} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,  
according to ETAG 004 and EN 13499)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.01.2019**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

24.01.2018 / 15 11 058-R3.e



Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0) 5141-88 92 65  
Fax +49 (0) 5141-88 92 67  
www.gsh.eu  
info@gsh.eu