

**GSH**  
**Güteschutzgemeinschaft**  
**Hartschaum e.V.**

# ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards  
made of expanded Polystyrene**

**NEOCOAT PLUS EPS 100**  
**NEOCOAT EPS 150**  
**NEOCOAT EPS 200**  
**NEOCOAT EPS 80**  
**NEOCOAT EPS 60**

with the designation code  
*described in Annex 1 (following page)*

from the manufacturer

**RIZAKOS S. A.**  
**Lamia Industrial Estate**  
**GR-35100 Lamia**  
**GREECE**

Based on ITT (Initial Type Test), comply with the requirements of

**EN 13163:2012+A1:2015**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.01.2019**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

24.01.2018 / 15 11 057-R3.e

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 11 057-R3.e

### Product description

#### **NEOCOAT PLUS EPS 100 (HBCD-free)**

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,030 W/(m·K)

#### **NEOCOAT EPS 150 (HBCD-free)**

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(5) – DS(N)2 – DS(70,90)1 – BS200 – CS(10)150

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,030 W/(m·K)

#### **NEOCOAT EPS 200 (HBCD-free)**

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,030 W/(m·K)

#### **NEOCOAT EPS 80 (HBCD-free)**

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS125 – CS(10)80

Reaction to fire: Euroclass E

Declared Value of Thermal conductivity,  $\lambda_D = 0,031$  W/(m·K)

#### **NEOCOAT EPS 60 (HBCD-free)**

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS100 – CS(10)60

Reaction to fire: Euroclass E

Declared Value of Thermal conductivity,  $\lambda_D = 0,032$  W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.01.2019**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

24.01.2018 / 15 11 057-R3.e

  
Manager of the Certification Body  
Corni Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu