

GSH
Güteschutzgemeinschaft
Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards
made of expanded Polystyrene**

**NEOCOAT PLUS EPS 100
NEOCOAT EPS 150
NEOCOAT EPS 200
NEOCOAT EPS 80
NEOCOAT EPS 60**

with the designation code
described in Annex 1 (following page)

from the manufacturer

**RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE**

Based on ITT (Initial Type Test), comply with the requirements of

EN 13163:2012+A1:2015

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.01.2019**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

24.01.2018 / 15 11 057-R3.e


Manager of the Certification Body
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu

GSH Güteschutzgemeinschaft Hartschaum e.V.

Annex 1 of Attestation nr. 15 11 057-R3.e

Product description

NEOCOAT PLUS EPS 100 (HBCD-free)

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,030 W/(m·K)

NEOCOAT EPS 150 (HBCD-free)

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(5) – DS(N)2 – DS(70,90)1 – BS200 – CS(10)150

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,030 W/(m·K)

NEOCOAT EPS 200 (HBCD-free)

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,030 W/(m·K)

NEOCOAT EPS 80 (HBCD-free)

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS125 – CS(10)80

Reaction to fire: Euroclass E

Declared Value of Thermal conductivity, $\lambda_D = 0,031$ W/(m·K)

NEOCOAT EPS 60 (HBCD-free)

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS100 – CS(10)60

Reaction to fire: Euroclass E

Declared Value of Thermal conductivity, $\lambda_D = 0,032$ W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.01.2019**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

24.01.2018 / 15 11 057-R3.e



Manager of the Certification Body
Corni Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu