

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## ATTESTATION OF CONFORMITY

We herewith attest that the building products

### Polystyrene – Rigid Foam Thermal Insulation Boards IPOR EPS 100

with the designation code

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100 – TR100

Reaction to fire: Euroclass E -  $W_{fp} \leq 0,5 \text{ kg/m}^2$  -  $f_{tk} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$

Declared thermal conductivity,  $\lambda_D = 0,031 \text{ W/(m}\cdot\text{K)}$

(This specification covers the requirements for an EPS product applied in an ETICS,  
according to EN 13499)

from the manufacturer

**RIZAKOS S. A.**  
**Lamia Industrial Estate**  
**GR-35100 Lamia**  
**GREECE**

based on the

### Product Type Determination (former ITT)

and the continuous surveillance and evaluation of the

### Factory Production Control (FPC)

comply with the requirements of

**EN 13163:2012+A1:2015.**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned products. This attestation is valid until **31.10.2022**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

15.10.2021 / 17 12 064-1-R4.e

  
Manager of the Certification Body  
Corin Siegfried

Prolonged until:

Prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu