

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards  
made of expanded Polystyrene  
Isotetto EPS 150 035  
Neotetto EPS 150 030**

with the designation code  
described in Annex 1 (following page)

from the manufacturer

**RIZAKOS S. A.  
Lamia Industrial Estate  
GR-35100 Lamia  
GREECE**

based on the  
**Product Type Determination (former ITT)**  
and the continuous surveillance and evaluation of the  
**Factory Production Control (FPC)**  
comply with the requirements of  
**EN 13163:2012+A1:2015.**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2021**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

02.11.2020 / 15 12 052-R3.e

  
Manager of the Certification Body  
Corth Siegfried

**31 Okt. 2022**  
prolonged until:



prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0) 5141-88 92 65  
Fax +49 (0) 5141-88 92 67  
www.gsh.eu  
info@gsh.eu

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 12 052-R3.e

Product description

### Isotetto EPS 150 035

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – BS200 – CS(10)150

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,035 W/(m·K),

### Neotetto EPS 150 030

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS200 – CS(10)150

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,030 W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2021**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

02.11.2020 / 15 12 052-R3.e



Manager of the Certification Body  
Corth Siegfried

prolonged until: **31 Okt. 2022**



prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu