

GSH Güteschutzgemeinschaft Hartschaum e.V.

CERTIFICATE OF CONFORMITY

on the basis of EN 13172, Annex A

We herewith confirm that the building product

**Thermal insulating board
made of expanded Polystyrene**

NEOCOAT PLUS EPS 80 THP 030 LD

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS125 – CS(10)80 – TR150

Euroclass E, declared thermal conductivity, $\lambda_D = 0,030 \text{ W/(m}\cdot\text{K)}$

$W_p \leq 0,5 \text{ kg/m}^2$, $f_{tk} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,
according to ETAG 004 and EN 13499)

from the manufacturer

**G. K. RIZAKOS SA
Lamia Industrial Estate
Lamia 35100, Greece**

correspond to the technical specification of

EN 13163:2012+A1:2015

This certificate is based on an
initial inspection, continuous surveillance,
assessment and evaluation of the **Factory Production Control (FPC)** and
audit-testing of samples taken before placing the product on the market
according to table A.1 of EN 13172 Annex A.

This certificate of conformity is valid until **31.01.2022**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

01.02.2021 / 19 11 824-R1


Manager of the Certification Body
Corth Siegfried

Prolonged until:

Prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu