

GSH

Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards
made of expanded Polystyrene
NEOCOAT PLUS EPS 100 THP 030
NEOCOAT EPS 150 THP 030 HD
NEOCOAT EPS 200 THP 030 XHD
NEOCOAT EPS 60 THP 031**

with the designation code
described in Annex 1 (following page)

from the manufacturer

**RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE**

based on the
Product Type Determination (former ITT)
and the continuous surveillance and evaluation of the
Factory Production Control (FPC)
comply with the requirements of
EN 13163:2012+A1:2015.

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2022**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

15.10.2021 / 15 11 058-R9.e


Manager of the Certification Body
Corni Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: UG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu

GSH Güteschutzgemeinschaft Hartschaum e.V.

Annex 1 of Attestation nr. 15 11 058-R9.e

Product description

NEOCOAT PLUS EPS 100 THP 030

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100 – TR100

Reaction to fire: Euroclass E, $W_{ip} \leq 0,5 \text{ kg/m}^2$, $f_{ik} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$

Declared Value of Thermal Conductivity $0,030 \text{ W/(m}\cdot\text{K)}$

(This specification covers the requirements for an EPS product applied in an ETICS,
according to EN 13499)

NEOCOAT EPS 150 THP 030 HD

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS200 – CS(10)150 – TR150

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity $0,030 \text{ W/(m}\cdot\text{K)}$

$W_{ip} \leq 0,5 \text{ kg/m}^2$, $f_{ik} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,
according to EN 13499)

NEOCOAT EPS 200 THP 030 XHD

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200 – TR150

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity $0,030 \text{ W/(m}\cdot\text{K)}$

$W_{ip} \leq 0,5 \text{ kg/m}^2$, $f_{ik} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,
according to EN 13499)

NEOCOAT EPS 60 THP 031

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS100 – CS(10)60 – TR100

Reaction to fire: Euroclass E

Declared value of thermal conductivity: $0,031 \text{ W/(m}\cdot\text{K)}$

$W_{ip} \leq 0,5 \text{ kg/m}^2$, $f_{ik} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,
according to EN 13499)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2022**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

15.10.2021 / 15 11 058-R9.e


Manager of the Certification Body
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
UZ: UG 049



Tel +49 (0) 5141-88 92 65
Fax +49 (0) 5141-88 92 67
www.gsh.eu
info@gsh.eu