

GSH

Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Polystyrene – Rigid Foam
Thermal Insulation Boards
IPOR EPS 100 Bio Derived**

with the designation code

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100 – TR100

Reaction to fire: Euroclass E - $W_{ip} \leq 0,5 \text{ kg/m}^2$ - $f_{ik} \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$

Declared thermal conductivity, $\lambda_D = 0,031 \text{ W/(m}\cdot\text{K)}$

(This specification covers the requirements for an EPS product applied in an ETICS,
according to EN 13499)

from the manufacturer

**RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE**

based on the

Product Type Determination (former ITT)

and the continuous surveillance and evaluation of the


Factory Production Control (FPC)

comply with the requirements of

EN 13163:2012+A1:2015.

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned products. This attestation is valid until **31.10.2024**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

07.11.2023 / 17 12 064-1-R5.e


Manager of the Certification Body
Corni Siegfried

Prolonged until:

Prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu