

# GSH

## Güteschutzgemeinschaft Hartschaum e.V.

# ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards  
made of expanded Polystyrene**

ISOPOR EPS 100 034  
ISOPOR EPS 120 034 HD  
ISOPOR EPS 150 034 XHD  
ISOPOR EPS 200 033  
ISOPOR EPS 30 044  
ISOPOR EPS 50 040  
ISOPOR EPS 60 037  
ISOPOR EPS 80 036

with the designation code  
*described in Annex 1 and 2 (following pages)*


from the manufacturer

**RIZAKOS S. A.  
Lamia Industrial Estate  
GR-35100 Lamia  
GREECE**

based on the  
**Product Type Determination (former ITT)**  
and the continuous surveillance and evaluation of the  
**Factory Production Control (FPC)**  
comply with the requirements of  
**EN 13163:2012+A1:2015.**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.08.2025**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

27.08.2024 / 15 11 053-R5

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu



# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 11 053-R5.e

Product description

### ISOPOR EPS 100 034

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – BS150 – CS(10)100 –  
TR100 – WI(P)0,5 – SS 75  
Reaction to fire: Euroclass E,  
Declared Value of Thermal conductivity,  $\lambda_D = 0,034$  W/(m·K)

### ISOPOR EPS 120 034 HD

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70)1 – BS170 – CS(10)120 –  
TR100 – WI(P)0,5 – SS 85  
Reaction to fire: Euroclass E  
Declared Value of Thermal Conductivity 0,034 W/(m·K)

### ISOPOR EPS 150 034 XHD

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – BS200 – CS(10)150 –  
TR100 – WI(P)0,5 – SS 100  
Reaction to fire: Euroclass E,  
Declared Value of Thermal conductivity,  $\lambda_D = 0,034$  W/(m·K)

### ISOPOR EPS 200 033

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – BS250 – CS(10)200 –  
TR100 – WI(P)0,5 – SS 125  
Reaction to fire: Euroclass E,  
Declared Value of Thermal conductivity,  $\lambda_D = 0,033$  W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.08.2025**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

27.08.2024 / 15 11 053-R5

  
Manager of the Certification Body  
Cortth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu



# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 2 of Attestation nr. 15 11 053-R5.e

### Product description

#### ISOPOR EPS 30 044

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – BS50 – CS(10)30  
Reaction to fire: Euroclass E,  
Declared Value of Thermal conductivity,  $\lambda_D = 0,044 \text{ W/(m}\cdot\text{K)}$

#### ISOPOR EPS 50 040

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – BS75 – CS(10)50  
Reaction to fire: Euroclass E,  
Declared Value of Thermal conductivity,  $\lambda_D = 0,040 \text{ W/(m}\cdot\text{K)}$

#### ISOPOR EPS 60 037

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – BS100 – CS(10)60 –  
TR100 – WI(P)0,5 – SS 50  
Reaction to fire: Euroclass E,  
Declared Value of Thermal conductivity,  $\lambda_D = 0,037 \text{ W/(m}\cdot\text{K)}$

#### ISOPOR EPS 80 036

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – BS125 – CS(10)80 –  
TR100 – WI(P)0,5 – SS 60  
Reaction to fire: Euroclass E,  
Declared Value of Thermal conductivity,  $\lambda_D = 0,036 \text{ W/(m}\cdot\text{K)}$

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.08.2025**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

27.08.2024 / 15 11 053-R5

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu