

GSH

Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards
made of expanded Polystyrene**

NEOCOAT PLUS EPS 80 030 LD

with the designation code
described in Annex 1 (following page)

from the manufacturer

**RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE**

based on the

Product Type Determination (former ITT)
and the continuous surveillance and evaluation of the
Factory Production Control (FPC)
comply with the requirements of
EN 13163:2012+A1:2015.

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.03.2025**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

11.03.2024 / 19 11 825-R3.e


Manager of the Certification Body
Corth Stegried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu

GSH

Güteschutzgemeinschaft Hartschaum e.V.

Annex 1 of Attestation nr. 19 11 825-R3.e

Product description

NEOCOAT PLUS EPS 80 030 LD

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS125 – CS(10)80 –
TR150 – SS60

Reaction to fire: Euroclass E

$W_{ip} \leq 0,5 \text{ kg/m}^2$, Declared Value of Thermal conductivity, $\lambda_D = 0,030 \text{ W/(m}\cdot\text{K)}$

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.03.2025**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

11.03.2024 / 19 11 825-R3.e


Manager of the Certification Body
Cornh Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu