

GSH Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building product

**Thermal Insulation Boards
made of expanded Polystyrene**

EPS (F) 031

with the designation code
described in Annex 1 (following page)

from the manufacturer

**RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE**

based on the Product Type Determination (former ITT) and the continuous surveillance and evaluation of the Factory Production Control (FPC), comply with the requirements of

EN 13163:2012+A1:2015

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.08.2025**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

27.08.2024 / 15 11 057-2-R5.e


Manager of the Certification Body
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu

GSH Güteschutzgemeinschaft Hartschaum e.V.

Annex 1 of Attestation nr. 15 11 057-2-R5.e

Product description

EPS (F) 031

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS100 – CS(10)60 –
TR100 – WI(P)0,5 – SS 50

Reaction to fire: Euroclass E

Declared Value of Thermal conductivity, $\lambda_D = 0,031$ W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.08.2025**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

27.08.2024 / 15 11 057-2-R5.e


Manager of the Certification Body
Corni Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu