

**GSH**  
**Güteschutzgemeinschaft**  
**Hartschaum e.V.**

# ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards**  
**made of expanded Polystyrene**  
**Neoplak EPS 100 030**  
**Neoplak EPS 150 030 HD**  
**Neoplak EPS 200 030 XHD**

with the designation code  
described in Annex 1 (following page)

from the manufacturer


**RIZAKOS S. A.**  
**Lamia Industrial Estate**  
**GR-35100 Lamia**  
**GREECE**

based on the  
**Product Type Determination (former ITT)**  
and the continuous surveillance and evaluation of the  
**Factory Production Control (FPC)**  
comply with the requirements of  
**EN 13163:2012+A1:2015.**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2021**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

02.11.2020 / 15 12 056-R3a.e

  
Manager of the Certification Body  
Corth Siegfried

**31 Okt. 2022**  
prolonged until:  


prolonged until:  
 **31 Okt. 2023**

Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 12 056-R3a.e

Product description

### Neoplak EPS 100

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100  
Reaction to fire: Euroclass E  
Declared Value of Thermal Conductivity 0,030 W/(m·K)

### Neoplak EPS 150

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS200 – CS(10)150  
Reaction to fire: Euroclass E  
Declared Value of Thermal Conductivity 0,030 W/(m·K)

### Neoplak EPS 200

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200  
Reaction to fire: Euroclass E  
Declared Value of Thermal Conductivity 0,030 W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2021**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

02.11.2020 / 15 12 056-R3a.e

  
Manager of the Certification Body  
Cortth Siegfried

prolonged until: **31 Okt. 2022**



prolonged until: **31 Okt. 2022**



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu