

GSH
Güteschutzgemeinschaft
Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

Thermal insulating board
Made of expanded Polystyrene
EPS 100
NEOTETTO AIR Low Carbon

with the designation code

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100

Reaction to fire: Euroclass E

Declared Value of Thermal Conductivity 0,030 W/(m·K)

from the manufacturer

G.K. RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE

based on the

Product Type Determination (former ITT)

and the continuous surveillance and evaluation of the

Factory Production Control (FPC)

comply with the requirements of

EN 13163:2012+A1:2015.

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned products. This attestation is valid until **31.10.2025**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

21.11.2024/ 17 12 063-1-R5.e


Manager of the Certification Body
Corth Siegfried

Prolonged until:

Prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu