

GSH

Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal insulating board
Made of expanded Polystyrene
EPS 100
NEOTETTO AIR**

with the designation code

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100
Reaction to fire: Euroclass E
Declared Value of Thermal Conductivity 0,030 W/(m·K)

from the manufacturer

**G.K. RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE**

based on the


Product Type Determination (former ITT)
and the continuous surveillance and evaluation of the
Factory Production Control (FPC)
comply with the requirements of
EN 13163:2012+A1:2015.

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned products. This attestation is valid until **31.10.2021**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

02.11.2020/ 17 12 063-1-R3.e


Manager of the Certification Body
Corth Siegfried

Prolonged until: **31 Okt. 2022**



Prolonged until: **31 Okt. 2023**



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049



Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu