

# GSH

## Güteschutzgemeinschaft Hartschaum e.V.

# ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards  
made of expanded Polystyrene**

**Peripor EPS 200 THP 033  
Peripor EPS 250 THP 033 HD**

with the designation code  
described in Annex 1 (following page)

from the manufacturer

**RIZAKOS S. A.  
Lamia Industrial Estate  
GR-35100 Lamia  
GREECE**

based on the  
**Product Type Determination (former ITT)**  
and the continuous surveillance and evaluation of the  
**Factory Production Control (FPC)**  
comply with the requirements of  
**EN 13163:2012+A1:2015.**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.10.2024**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

10.11.2023 / 15 12 061-R7.e

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 12 061-R7.e

Product description

### Peripor EPS 200 THP 033

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(3) – DS(N)2 – DS(70,-)1 – BS250 – CS(10)200 – WL(T)1 – TR150

Reaction to fire: Euroclass E,

$W_{ip} \leq 0,5 \text{ kg/m}^2$ ,  $f_{ik} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$

Declared thermal conductivity,  $\lambda_D = 0,033 \text{ W/(m}\cdot\text{K)}$

(This specification covers the requirements for an EPS product applied in an ETICS, according to EN 13499)

### Peripor EPS 250 THP 033 HD

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(3) – DS(70,-)1 – BS350 – CS(10)250 – WL(T)1 – TR150

Reaction to fire: Euroclass E -  $W_{ip} \leq 0,5 \text{ kg/m}^2$  -  $f_{ik} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$

Declared thermal conductivity,  $\lambda_D = 0,033 \text{ W/(m}\cdot\text{K)}$

(This specification covers the requirements for an EPS product applied in an ETICS, according to EN 13499)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above-mentioned product. This attestation is valid until **31.10.2024**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

10.11.2023 / 15 12 061-R7.e

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu