

**GSH**  
**Güteschutzgemeinschaft**  
**Hartschaum e.V.**

# ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards**  
**made of expanded Polystyrene**  
**Peripor EPS 200 THP 033**  
**Peripor EPS 250 THP 033 HD**

with the designation code  
described in Annex 1 (following page)

from the manufacturer


**RIZAKOS S. A.**  
**Lamia Industrial Estate**  
**GR-35100 Lamia**  
**GREECE**

based on the  
**Product Type Determination (former ITT)**  
and the continuous surveillance and evaluation of the  
**Factory Production Control (FPC)**  
comply with the requirements of  
**EN 13163:2012+A1:2015.**

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2022**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

15.10.2021 / 15 12 061-R6.e

  
Manager of the Certification Body  
Cortth Siegfried

  
prolonged until:  
**31. Okt. 2023**

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu

# GSH Güteschutzgemeinschaft Hartschaum e.V.

## Annex 1 of Attestation nr. 15 12 061-R6.e

### Product description

#### Peripor EPS 200 THP 033

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,-)1 – BS250 – CS(10)200 – WL(T)1 – TR150  
Reaction to fire: Euroclass E,  
 $W_{ip} \leq 0,5 \text{ kg/m}^2$ ,  $f_{ik} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$   
Declared thermal conductivity,  $\lambda_D = 0,033 \text{ W/(m}\cdot\text{K)}$   
(This specification covers the requirements for an EPS product applied in an ETICS,  
according to EN 13499)

#### Peripor EPS 250 THP 033 HD


EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(70,-)1 – BS350 – CS(10)250 – WL(T)1 – TR150  
Reaction to fire: Euroclass E -  $W_{ip} \leq 0,5 \text{ kg/m}^2$  -  $f_{ik} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$   
Declared thermal conductivity,  $\lambda_D = 0,033 \text{ W/(m}\cdot\text{K)}$   
(This specification covers the requirements for an EPS product applied in an ETICS,  
according to EN 13499)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2022**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

15.10.2021 / 15 12 061-R6.e

  
Manager of the Certification Body  
Corth Siegfried

prolonged until:

  
31 Oct. 2023

prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: UG 049

Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu